


TENNESSEE REGULATORY AUTHORITY

Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director



460 James Robertson Parkway
Nashville, Tennessee 37243-0505

April 28, 2005

Obion County Mayor
P. O. Box 236
Union City, TN 38281

RECEIVED
MAY 06 2005
TN REGULATORY AUTHORITY
TELECOMMUNICATIONS DIVISION

RE: Docket No. 04-00434 – Wastewater Forum

Dear County Mayor:

We recently sent you a letter requesting certain information regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries and asked that you respond by April 15, 2005. As of this date, we have not received a response from your county. Attached you will find a copy of the original request.

We do need your input. The Tennessee Regulatory Authority will be developing regulations that will establish a bond or other security to be posted by a regulated public utility providing wastewater service or for a particular project.

Please provide your response to this request no later than 2:00 P.M. on Monday, May 9, 2005 and reference the above docket number in your response. Should you have questions regarding any item number on the attached request, please contact Ron Graham at 1-800-342-8359, ext. 164 for clarification before responding.

Sincerely,

For Darlene Standley

Darlene Standley
Chief
Utilities Division

Enclosure

*I hope this will be of help
to you.*

Maylon R. Long
Obion Co. Mayor

TENNESSEE REGULATORY AUTHORITY



Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director

460 James Robertson Parkway
Nashville, Tennessee 37243-0505

March 30, 2005

««AddressBlock»»

Re: Docket No. 04-00434 – Wastewater Forum

Dear County Mayor:

The Tennessee Regulatory Authority is researching various issues relative to wastewater utilities and requests your assistance in completing our study. Please answer the following questions regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries.

1. Does your county require any type of bond to be in place before a wastewater utility can construct or operate within your county? If so, what type of bond is required? *No*
2. What is the amount of bond that a utility must post, before receiving approval to construct the system within your jurisdiction? *None*
3. What is the amount of bond that a utility must post, before receiving approval to operate the system within your jurisdiction? *None*
4. What is the required term of the bond(s)? *None*
5. If there is a bonding requirement in your county, are there any exemptions to that requirement? If so, please list or describe the exemptions permitted. *None*

Thank you for your time and attention regarding this matter. Please provide a written response by April 15, 2005. If you have any questions regarding this request, please contact Butch Phillips at 1-800-342-8359, ext. 183 for clarification before responding.

Sincerely,

Darlene Standley
Chief
Utilities Division

TENNESSEE REGULATORY AUTHORITY



RECEIVED

Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director

2005 MAY -6 AM 10:09

460 James Robertson Parkway
Nashville, Tennessee 37243-0505

T.R.A. DOCKET ROOM

March 30, 2005

««AddressBlock»»

Re: Docket No. 04-00434 – Wastewater Forum

Dear County Mayor:

The Tennessee Regulatory Authority is researching various issues relative to wastewater utilities and requests your assistance in completing our study. Please answer the following questions regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries.

1. Does your county require any type of bond to be in place before a wastewater utility can construct or operate within your county? If so, what type of bond is required?

2. What is the amount of bond that a utility must post, before receiving approval to construct the system within your jurisdiction? *Letter of Credit for amount + 10% (110%)*

3. What is the amount of bond that a utility must post, before receiving approval to operate the system within your jurisdiction? *110% of Cost*

4. What is the required term of the bond(s)? *None after Construction but we are*

5. If there is a bonding requirement in your county, are there any exemptions to that requirement? If so, please list or describe the exemptions permitted. *concerning the bond for operation.*

NA
Thank you for your time and attention regarding this matter. Please provide a written response by April 15, 2005. If you have any questions regarding this request, please contact Butch Phillips at 1-800-342-8359, ext. 183 for clarification before responding.

Sincerely,

Darlene Standley
Chief
Utilities Division

RECEIVED

MAY 06 2005

IN REGULATORY AUTHORITY
TELECOMMUNICATIONS DIVISION

Deborah Tate
Pat Miller

TENNESSEE REGULATORY AUTHORITY

Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director



460 James Robertson Parkway
Nashville, Tennessee 37243-0505

April 28, 2005

DeKalb County Mayor
#1 Public Square
Room 204, Courthouse
Smithville, TN 37166

RE: Docket No. 04-00434 – Wastewater Forum

Dear County Mayor:

We recently sent you a letter requesting certain information regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries and asked that you respond by April 15, 2005. As of this date, we have not received a response from your county. Attached you will find a copy of the original request.

We do need your input. The Tennessee Regulatory Authority will be developing regulations that will establish a bond or other security to be posted by a regulated public utility providing wastewater service or for a particular project.

Please provide your response to this request no later than 2:00 P.M. on Monday, May 9, 2005 and reference the above docket number in your response. Should you have questions regarding any item number on the attached request, please contact Ron Graham at 1-800-342-8359, ext. 164 for clarification before responding.

Sincerely,

DA Tate for Darlene Standley

Darlene Standley
Chief
Utilities Division

Enclosure



HARDIN COUNTY, TENNESSEE

RECEIVED

2005 MAY -6 AM 10:10

KEVIN C. DAVIS
COUNTY EXECUTIVE

T.R.A. DOCKET ROOM

May 3, 2005

Ms. Darlene Standley
Chief, Utilities Division
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, TN 37243-0505

Ms. Standley,

In reference to a letter from your office on wastewater forum, Hardin County does not have any zoning laws currently in effect within corporate limits. Therefore, Hardin County does not have bonding requirements for wastewater companies.

Should further information be needed, please contact this office at any time.

Sincerely,

KEVIN DAVIS
Hardin County Mayor

KD MH

RECEIVED

MAY 06 2005

IN REGULATORY AUTHORITY
TELECOMMUNICATIONS DIVISION

BOARD OF COMMISSIONERS

JASON ANGOTTI • NICKIE L. CAGLE • DAVID CHILDERS • GARY COMBS • MIKE FOWLER • LARRY FRANKS • DANNIE L. GEAN
TOM HAGGARD • WALLY HAMILTON • LARRY J. HINTON • JAMES HOPPER • CHARLES HOWARD • ROGER L. JENKINS • MIKE JERROLD
FRED McFALLS, JR. • KATHY SMITH • STACEY L. STRICKLIN • EMERY L. WHITE • JAMES W. WHITEHORN, SR. • JIMMY WILLOUGHBY
601 MAIN STREET • COURTHOUSE • SAVANNAH, TN 38372 • (731) 925-9078 • FAX: (731) 925-0338

TENNESSEE REGULATORY AUTHORITY



Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director

460 James Robertson Parkway
Nashville, Tennessee 37243-0505

March 30, 2005

««AddressBlock»»

Re: Docket No. 04-00434 – Wastewater Forum

RECEIVED
MAY 06 2005
TENNESSEE REGULATORY AUTHORITY
TELECOMMUNICATIONS DIVISION

Dear County Mayor:

The Tennessee Regulatory Authority is researching various issues relative to wastewater utilities and requests your assistance in completing our study. Please answer the following questions regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries.

1. Does your county require any type of bond to be in place before a wastewater utility can construct or operate within your county? If so, what type of bond is required?
no
2. What is the amount of bond that a utility must post, before receiving approval to construct the system within your jurisdiction?
0
3. What is the amount of bond that a utility must post, before receiving approval to operate the system within your jurisdiction?
0
4. What is the required term of the bond(s)?
0
5. If there is a bonding requirement in your county, are there any exemptions to that requirement? If so, please list or describe the exemptions permitted.
0


Thank you for your time and attention regarding this matter. Please provide a written response by April 15, 2005. If you have any questions regarding this request, please contact Butch Phillips at 1-800-342-8359, ext. 183 for clarification before responding.

Sincerely,

Darlene Standley
Chief
Utilities Division

RECEIVED
TENNESSEE REGULATORY AUTHORITY
APR 10 10

Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director



T.R.A. DOCKET ROOM

460 James Robertson Parkway
Nashville, Tennessee 37243-0505

April 28, 2005

RECEIVED

MAY 05 2005

TN REGULATORY AUTHORITY
TELECOMMUNICATIONS DIVISION

Unicoi County Mayor
P. O. Box 169
Erwin, TN 37650

RE: Docket No. 04-00434 – Wastewater Forum

Dear County Mayor:

We recently sent you a letter requesting certain information regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries and asked that you respond by April 15, 2005. As of this date, we have not received a response from your county. Attached you will find a copy of the original request.

We do need your input. The Tennessee Regulatory Authority will be developing regulations that will establish a bond or other security to be posted by a regulated public utility providing wastewater service or for a particular project.

Please provide your response to this request no later than 2:00 P.M. on Monday, May 9, 2005 and reference the above docket number in your response. Should you have questions regarding any item number on the attached request, please contact Ron Graham at 1-800-342-8359, ext. 164 for clarification before responding.

Sincerely,

D. A. Tate for Darlene Standley

Darlene Standley
Chief
Utilities Division

Enclosure

RECEIVED
MAY 02 2005

TENNESSEE REGULATORY AUTHORITY

Pat Miller, Chairman
Deborah Taylor Tate, Director
Sara Kyle, Director
Ron Jones, Director



460 James Robertson Parkway
Nashville, Tennessee 37243-0505

March 30, 2005

««AddressBlock»»

Re: Docket No 04-00434 – Wastewater Forum

Dear County Mayor:

The Tennessee Regulatory Authority is researching various issues relative to wastewater utilities and requests your assistance in completing our study. Please answer the following questions regarding any bonding requirements that your county imposes on wastewater companies operating (or planning to operate) within your county's geographical boundaries.

1. Does your county require any type of bond to be in place before a wastewater utility can construct or operate within your county? If so, what type of bond is required?

NO

2. What is the amount of bond that a utility must post, before receiving approval to construct the system within your jurisdiction?

NO

3. What is the amount of bond that a utility must post, before receiving approval to operate the system within your jurisdiction?

NO

4. What is the required term of the bond(s)?

NO


5. If there is a bonding requirement in your county, are there any exemptions to that requirement? If so, please list or describe the exemptions permitted.

NO

Thank you for your time and attention regarding this matter. Please provide a written response by April 15, 2005. If you have any questions regarding this request, please contact Butch Phillips at 1-800-342-8359, ext. 183 for clarification before responding.

Sincerely,

Darlene Standley
Chief
Utilities Division



LARRY GRIFFIN COUNTY MAYOR

1 SOUTH BELLS ST, SUITE 3
COURTHOUSE
ALAMO, TN 38001

OFFICE 731-696-5460

FAX 731-696-4101

HOME 731-663-2698

RECEIVED

2005 MAY -6 AM 9:40

T.R.A. DOCKET ROOM

May 2, 2005

Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505

Re: Docket No. 04-00434

Dear Ms. Standley:

At this time, Crockett County does not have any contracts or agreements with any wastewater facility. Because of this we have no bonds nor any exemptions to bonds.

Should this change we will seek your office for guidance in this matter.

If you have any questions, please feel free to call.

Respectfully:


Larry Griffin